



Quality and productivity that  
extends beyond the office

DocuCentre-V C2265

# Compact size with infinite possibilities

**Outstanding colour print quality not only gives your sales and marketing collateral a competitive edge, it reduces costs by printing on-demand, as required.** Choose your own solution that suits your business needs today – start with a sleek, compact, desktop design and add sheet feeders, automatic stapling, booklet-making, searchable PDFs, and even Server-less On-Demand Print as your needs change. Optional WiFi supports an increasingly mobile workforce, the DocuCentre-V C2265 will help your business to grow, and is flexible enough to grow with your business.

## Impressive Print Quality

The DocuCentre-V C2265 produces outstanding output with incredible clarity through industry leading colour printing.

Fuji Xerox has developed a high-precision, S-LED (Self-Scanning Light Emitting Diode) print head technology that achieves an output resolution that's best-in-class\* **1200 x 2400 dpi.**

With advanced IReCT (Image Registration Control Technology) it provides ultra high precision of 2400 dpi. This ensures highly accurate dot placement resulting in outstanding print quality. Produce bureau-like sales and marketing collateral in-house, on-demand, to preserve cashflow. Print on gloss paper to further enhance sales proposals and win more business.

## Advanced Productivity Features

With multi-function capabilities this A3 device can handle your Print, Copy, Scan, Email & Fax (optional) tasks efficiently. To ensure versatility, optional add-ons such as our advanced finishers can enhance your office productivity levels significantly by taking charge of time-consuming jobs, such as stapling, booklet making and hole punching.

## Walk-up Simplicity

Optional support so you can print from and scan to any USB memory device for faster document delivery when you're not at your computer.



Intuitive 7-inch touch screen that supports Flick/Drag operations, allowing for intuitive, easy operation. The fully customisable menu allows the user to tailor items to their needs, increasing productivity.



	DocuCentre-V C2265
Print	25ppm
Copy	25ppm
Scan	55ppm
Fax (Optional)	Super G3 supported

\*Buyers Lab analysis of 56 Colour A3 Devices Dec 15.



The DocuCentre-V C2265 is scalable from a compact desktop unit with 596 pages standard paper input (above, left), to a full floor-standing model with a maximum paper capacity of 2,096 pages (above right, shown with the optional 3-Tray Module EC103069)



## Business Mobility

**Optional WiFi supports an increasingly mobile workforce.** Today's office environment continues to evolve – staff with laptops, smartphones and tablets will hot-desk or bring their own device to meetings, impromptu or scheduled. Mobility within the office is not just for internal staff, the DocuCentre-V C2265 also keeps sales people on the move and out there selling. It doesn't matter what your preferred mobile printing platform is, we have it covered.



### AirPrint

AirPrint is a built-in iOS offering that allows users with ownership of a Mac, iPhone, iPad or iPod Touch to print full quality media files from their devices without the need to install a third party software. To print from an iOS device all you need is a secure Wi-Fi network.



### Google Cloud Print

In the world of Google Cloud Print, you can print anything, from any device, to any cloud-connected printer.

When you print through Google Cloud Print, your file is securely transferred to your printer over the web. Since it's the web, Google Cloud Print works whether you're in the same room as your printer, or on another continent.

Google Cloud Print is a web printing service from Google.



### Mopria™ Alliance Certification

Fuji Xerox Printers has gained Mopria Alliance certification for the DocuCentre-V C2265, making it possible for Android users to easily print documents using their smartphone and tablet devices. Printing from your smartphone is as simple as printing from a computer. Mopria Print Service can be downloaded for free from Google Play™ Store (Android™ 4.4 or later).

### Cloud on-demand print

Using the cloud service on the internet enables you to print on a multifunction device at your destination. Cloud on-demand printing is the solution for any office, it eliminates the need for users to install a printer driver on their PC and saves data automatically, reducing the risk of losing files carried on a USB.



### Fuji Xerox Print Utility

You can improve your work effectiveness by using mobile devices in conjunction with Fuji Xerox MFPs, printers and softwares. The Print utility allows you to print websites, photos, emails and more, directly from your iOS or Android mobile device. You can also scan documents and send to your mobile device directly from the DocuCentre-V C2265.

### Simply Connected – Wi-Fi Direct (Concurrent Mode)

The DocuCentre-V C2265 has optional support for Wi-Fi and Wi-Fi Direct, supporting an increasingly mobile workforce.

#### 1 Wi-Fi Connection.




Connects to devices via an access point

#### 2 Wi-Fi Direct Connection.



Does not need an access point. Connects directly from the Wi-Fi device to the MFD



# Productive, easy to use, and practical for your business

**With advanced scan functionality, document security and workflow choices, the DocuCentre-V C2265 is designed to maximise productivity in your work space.** In addition, our innovative technology ensures users can enjoy the productivity and redundancy benefits that come with Server-less On-Demand Printing, whilst the business benefits from workflow efficiencies and guaranteed paper and toner cost savings.

## My scanning



At a blistering 55 pages per minute the duplex automatic document feeder (DADF) provides an ideal on-ramp to help digitise your hard copy documents. Holding up to 110 sheets, it enables large batch scans with minimal interruptions.

To enhance staff productivity for ad-hoc scanning the DocuCentre-V C2265 provides customisable settings so users can walk up to the device, press one-button, and automatically send scanned files to their email address.


## Server-less Authentication



Document integrity and security, and controlling access to the device, is critical in many business environments. Server-less authentication pre-registers users so they are able to authenticate (identify) themselves via a PIN, and access their print jobs that are stored on the hard disk drive and ready to print. The optional embedded IC card reader enhances staff productivity by enabling users to authenticate (identify themselves) at the device by swiping their security swipe card and releasing their print jobs, effecting a “Tap’n’Go” print-release process.

## Scan Delivery (Optional)

For group or application-specific scanning, pre-configured scan settings and destinations simplifies the scanning process. For example picking slips can be scanned as a searchable PDF, directly to the “warehouse” folder on the network, with one touch of the control panel to increase productivity and reduce the risk of human error.



## Server-less On-Demand Print

The optional Server-less On-Demand Print feature of the DocuCentre-V C2265 provides an inexpensive, but powerful solution that enables print jobs to be sent sent and stored to the device until it is released by entering a PIN or swipe of a security card\*. Other devices<sup>1</sup> on the network configured with the Server-less On-Demand Print option enables users to collect their print jobs from anywhere on the network further enhancing staff productivity, and providing redundancy if a device is busy with a large print run or out of action.

\* Requires optional IC Card Reader (EC103143)

<sup>1</sup> Supports up to 5 devices on the one network, each needs the optional Server-less On-Demand print kit configured

Server-less On-Demand Print allows you to release a print job on any available printer on the network configured with this option.


Including the Fuji Xerox A4 desktop models, the mono M465 AP and the colour CM415 AP.



DocuCentre-V C2265



DocuPrint CM415 AP





## Environmentally friendly


### Fuji Xerox is committed to help our customers become more sustainable.

Our technology and services are designed and managed to improve sustainability performance for our customers.

DocuCentre-V C2265 complies with the International ENERGY STAR® Program and has energy efficient components to reduce our users impact. The environmental design helps to reduce carbon emissions by using some components that are produced using non-edible, strong and non-flammable, biomass plastics.

#### Smart Energy Management

This feature reduces power consumption and CO<sub>2</sub> emissions by supplying power only to the compartment that is being used. For example, during scanning activities no power is supplied to other parts of the device.



#### Reducing power consumption


With our clever product design, the cooling fan within the device is completely stopped when in standby mode. This decreases energy consumption and significantly reduces noise levels.

In sleep mode the devices consumes less than 1.0 W of power, in comparison to when working at its optimal level the DocuCentre-V C2265 uses 1.92 kW of power.

With a power save button on the control panel, this ensures that during the inactive state the devices are preserving power. However, when needed the control panel becomes available in 3 seconds to ensure it is always ready. Such features help your offices save money whilst reducing your carbon footprint.

#### Waste-free Fax

Incoming fax documents are immediately stored on the device's hard disk drive, in its own folder, and are only printed when users select to do so. This reduces unnecessary print jobs, and decreases paper and toner wastage. Administrators can also block incoming faxes from particular contacts or anonymous numbers. Take it to another level with the optional SiP fax kit, enabling fax transmissions via a VOIP server.



Also with Direct Fax users can send faxes directly from their PC's. Sent Fax documents also have the option to be saved as a PDF and sent as an e-mail attachment.

# Overview of the DocuCentre-V C2265

The DocuCentre-V C2265 is a versatile and robust office partner loaded with the latest technology to optimise your office productivity. Giving you all the functionality of an A3 multi-function device plus the option to add a professional finisher so your final documents can stand out.



**1 Duplex Automatic Document Feeder**

Stack up to 110 sheets, and scan mixed sized originals at up to 55ppm

**2 Intuitive Control panel**

7" colour touch screen with easy to use operation

**3 Fax Function (optional)**

VOIP option also available.

**4 In-built Storage**

Store and access your documents with the in-built 160GB HDD

**5 Versatile paper trays (Optional) EC103069**

Up to 4 trays, up to 2,096 sheets (incl. std. tray)

**6 Hole Punch Unit (Optional) QC100047**

Save time on presenting your important copies with 2/4 hole punch (requires Finisher B1 EC103114)

**7 Booklet Finishing (Optional) QC100044**

Bringing in our advanced finishing such as Saddle Staple and Scoring for paper sizes A4 through to A3 (requires EC103114)

**8 Advanced Finisher (Optional) EC103114**

Stack up to 2,000 sheets of paper and staple up to 50 sheets in multiple positions on a variety of paper weights

**9 Bypass tray**

Holds up to 96 sheets, up to 216 gsm



# High productivity with our advanced finishing

The DocuCentre-V C2265 is a powerful addition to any office. For optimal productivity add your choice of optional advanced finishing options to take your documents to another level. From stapling, to hole-punching, to booklet-making, transform your sales proposals and marketing collateral into professionally produced, fully-bound documents to enhance your company image.



**Finisher - A1 (Optional) QC100167**  
This inbuilt component is perfect for customers who have limited office space and require a simple stapling option.



**Finisher – B1 (Optional) EC103114**  
For more advanced finishing options, this has the capability to print booklets, staple in multiple positions and hole-punch a range of documents.

## Stapling

Single Staple Top L

Single Staple Top R

Dual Stapling

Stapling up to 50 sheets A4 in 1 position. (Dual stapling only available in B1)

Stapling up to 50 sheets A4 in 3 positions

## Hole Punch (Optional) QC100047, requires EC103114

2-hole Punch

4-hole Punch

Hole punching paper up to 200gsm (requires the hole-punch unit)

## Booklet Making (Optional) QC100044, requires EC103114

Saddle Stapling and Fold

Booklet Finishing

Saddle stapling up to 15 sheets, booklet finishing and fold (requires the booklet maker unit)

## Options and Accessories

Description	Part number
Server-less On-Demand kit enables Follow-me Print capability (up to 5 devices) without the need for server-based software	800L06045
IC Card Reader A (Embedded)	EC103143
1-Tray Module 500 Sheet Feeder with Cabinet	EC103068
3-Tray Module 3 x 500 Sheet Feeder	EC103069
Exit 1 Full Stack Sensor Kit	EC103113
Side Tray output tray (face-up) attaches to the left side of the device	EC103135
Finisher A1 In-built finisher saves space and stacks, sorts, staples (up to 50 sheets single staple)	QC100167
Finisher B1 (SB Finisher) external finisher supports advanced options to print booklets, hole-punch and multiple staple positions (requires EC103068 or EC103069 to convert from desktop to floorstanding)	EC103114
Booklet maker unit for Finisher B1 (requires EC103114)	QC100044
2-4 Hole Punch for Finisher B1 (requires EC103114)	QC100047
Multi-Channel Kit (second ethernet interface)	EC103138
Adobe PostScript Level 3 Kit	EC103121
Wireless LAN kit to enable WiFi and WiFi Direct capability	EC103115

Description	Part number
Searchable PDF Kit enables OCR capability	EC103124
High Compression Image Kit compresses PDFs and DocuWorks documents to reduce file sizes	EC103125
USB Memory Kit enables printing from, and scanning to, a USB	EC103126
Fax Kit 3 (1byte) one line, standard G3 fax includes Paperless Fax, Mailbox, Address Book, Direct Fax support (must be set up via the system setting)	EC103127
Fax Extension Board Kit 3 required to attach additional G3 Port Kit 3 (EC103129)	EC103140
Additional G3 Port Kit 3 enables additional Fax ports (requires EC103127 and EC103140)	EC103129
SIP Fax Kit enables fax transmissions via VoIP server and IP-Fax Transmission to another IP-Fax (SIP) enabled device (cannot be used in conjunction with the Server Fax Kit)	EC103130
Stamp Kit used to stamp red marks on the stored fax original (requires fax option to be installed)	EC103141
Server Fax Kit	EC103131
Copy Management Expansion Kit enables watermark printing feature	EC103132
Network Accounting Kit enables connection with third party cost recovery or accounting solution such as Equitrac	EC103133

Description	Part number
Image Log Kit stores and manages images of jobs completed on the C2265 (requires Image Extension Kit, if device configured with Postscript refer to EC103159)	EC103158
Image Log Kit (Adobe PostScript) stores and manages images of jobs completed on the C2265 configured with Postscript (requires Image Extension Kit)	EC103159
Scan Delivery Kit	800L08465
Wing Table	EC103625
Voice Guidance	QC100149

## Consumables

Description	Part number
Toner Cartridge Black (22,000 page yield)	CT202488
Toner Cartridge Cyan (15,000 page yield)	CT202489
Toner Cartridge Magenta (15,000 page yield)	CT202490
Toner Cartridge Yellow (15,000 page yield)	CT202491
Drum Cartridge CMYK (73,400 page yield)	CT351088
Waste Toner Bottle (33,000 page yield)	CWAA0885

\*rated at 5% page coverage

# Specifications of DocuCentre-V C2265

## Basic Specifications/Copy Function

Item	Description
Type	Desktop / Console
Memory capacity	4 GB (Max: 4 GB)
Hard disk capacity*1	160 GB standard, or larger (Usable space: 128 GB)
Colour Capability	Full Colour
Scan Resolution	600 x 600 dpi
Printing Resolution	1200 x 2400 dpi
Warm-up Time	30 seconds or less, 22 seconds or less if the main power is on (At room temperature 23°C)
Original Size	Maximum of 297 x 432 mm (A3, 11 x 17") for both Sheet and Book
Paper Size	Max A3, 11 x 17"
	Min A5 [Postcard (100 x 148 mm) and Envelope Monarch (191 x 98 mm) when using Bypass Tray]
Image loss width	Lead Edge 4.0 mm, Trail Edge 2.0 mm, Right & Left Edges 2.0 mm
Paper Weight*2	Paper Tray 60 to 256 gsm
	Bypass Tray 60 to 216 gsm
First Copy Output Time	B/W*3 5.9 sec.
	Colour*4 8.1 sec.
Continuous Copy Speed*5	A4 LEF / B5 LEF B/W: 25 ppm, Colour: 25 ppm
	A4 B/W: 19 ppm, Colour: 19 ppm
	B5 B/W: 14 ppm, Colour: 14 ppm
	B4 B/W: 16 ppm, Colour: 16 ppm
	A3 B/W: 14 ppm, Colour: 14 ppm
Paper Tray Capacity*6	Standard 500 sheets x 1-tray + Bypass Tray 96 sheets
	Optional 1 Tray Module / 1 Tray Module with Cabinet: 500 sheets x 1-tray 3 Tray Module: 500 sheets x 3-tray
	Max 2096 sheets [Standard + 3 Tray Module]
Output Tray Capacity*7	Upper Center: 250 sheets (A4 LEF), Lower Center: 250 sheets (A4 LEF)
Power Supply	AC220-240 V +/- 10 %, 8 A, 50/60 Hz common
Maximum Power Consumption	1.76 kW or less (AC220 V +/- 10 %), 1.92 kW or less (AC240 V +/- 10 %)
	Sleep Mode: 1.0 W or less (AC220 V +/- 10 %)
	Ready Mode: 78 W or less (AC220 V +/- 10 %)
Dimensions	W 590 x D 659 x H 768 mm
	W 590 x D 659 x H 962 mm (when optional 1 Tray Module is installed.)
	W 616 x D 659 x H 1119 mm (when optional 1 Tray Module with cabinet is installed.)
	W 616 x D 659 x H 1119 mm (when optional 3 Tray Module is installed.)
Weight*8	68 kg
	87 kg (when optional 1 Tray Module is installed.)
	92 kg (when optional 1 Tray Module with cabinet is installed.)
	95 kg (when optional 3 Tray Module is installed.)

\*1: The Storage Hard disk capacity is not totally available for customers. \*2: It is recommended to use Fuji Xerox recommended paper. Correct print output may not be possible depending on the requirement. \*3: A4 LEF / Monochrome priority mode. \*4: A4 LEF / Colour priority mode. \*5: The speed may be reduced due to the image quality adjustment. \*6: 80 gsm paper. \*7: 64 gsm paper. \*8: Excluding Toner Cartridge.

## Print Function

Item	Description
Type	Built-in type
Continuous Print Speed*1	Same as the Basic Specifications / Copy Function
Printing Resolution	600 x 600 dpi, 1200 x 2400 dpi
Page Description Language	Standard PCL5 / PCL6
	Optional Adobe® PostScript® 3™
Supported Operating System	Standard (PCL Driver) Windows® 10 (32bit), Windows® 10 (64bit), Windows® 8.1 (32bit) Windows® 8.1 (64bit), Windows® 8 (32bit), Windows® 8 (64bit) Windows® 7 (32bit), Windows® 7 (64bit), Windows Vista® (32bit) Windows Vista® (64bit), Windows Server® 2012 R2 (64bit) Windows Server® 2012 (64bit), Windows Server® 2008 R2 (64bit) Windows Server® 2008 (32bit), Windows Server® 2008 (64bit) Windows Server® 2003 (32bit), Windows Server® 2003 (64bit)
	Standard (Mac OS X Driver) OS X 10.10/10.9/10.8, Mac OS X 10.7/10.6/10.5
	Optional (Adobe® PostScript® 3™ Driver) Windows® 10 (32bit), Windows® 10 (64bit), Windows® 8.1 (32bit) Windows® 8.1 (64bit), Windows® 8 (32bit), Windows® 8 (64bit) Windows® 7 (32bit), Windows® 7 (64bit), Windows Vista® (32bit) Windows Vista® (64bit), Windows Server® 2012 R2 (64bit) Windows Server® 2012 (64bit), Windows Server® 2008 R2 (64bit) Windows Server® 2008 (32bit), Windows Server® 2008 (64bit) Windows Server® 2003 (32bit), Windows Server® 2003 (64bit) OS X 10.10/10.9/10.8, Mac OS X 10.7/10.6/10.5
Interface	Standard Ethernet 1000BASE-T / 100BASE-TX / 10BASE-T, USB2.0, Wireless LAN

\*1: The speed may be reduced due to the image quality adjustment. The printing speed may be reduced depending on the document.

## Side Tray (Optional) EC103135

Item	Description
Paper Capacity*1	100 sheets
Dimensions	W 353 x D 429 x H 198 mm

\*1: 64 gsm paper.

## Scan Function

Item	Description
Type	Colour Scanner
Scan Resolution	600 x 600 dpi, 400 x 400 dpi, 300 x 300 dpi, 200 x 200 dpi
Scan Speed*1	Duplex Automatic Document Feeder B/W: 55 ppm, Colour: 55 ppm [Fuji Xerox Standard Paper (A4 LEF), 200dpi, to Folder.]
Interface	Standard Ethernet 1000BASE-T / 100BASE-TX / 10BASE-T

\*1: The scanning speed varies depending on the documents.

## Fax Function (Optional)

Item	Description
Original Size	Max: A3, 11 x 17", Long document (Longest 600 mm)
Recording Paper Size	Max: A3, 11 x 17" Min: A5
Transmission Time	2 seconds and more but fewer than 3 seconds*1
Transmission Mode	ITU-T G3
Applicable Lines	Telephone subscriber line, PBX, Fax communication (PSTN), Maximum 3 ports*2 (G3-3 ports)

\*1: When A4 size document with approximately 700 characters is transmitted in standard image-quality (8 x 3.85 lines / mm) and in high-speed mode (28.8 kbps or faster, JBIG). Only indicates the time for transmitting the image information and does not include the communication control time. The total communication time will vary depending on the contents of the document, the type of machine receiving the fax, and line condition. \*2: No. of FAX lines is up to 3 ports. Port refers to number of channels for FAX.

## Duplex Automatic Document Feeder

Item	Description
Original Size	Max: A3, 11 x 17" Min: A5 *1
Paper Weight	38 to 128 gsm (In Duplex: 50 to 128 gsm)
Capacity*2	110 sheets
Feeding Speed (A4 LEF Simplex)	B/W: 25 ppm Colour: 25 ppm

\*1: The minimum custom size is 125 x 85 mm. \*2: 64 gsm paper.

## Finisher-A1 (Optional) QC100167

Item	Description
Type	Sort (Offset available) / Stack (Offset available)
Paper Size	Max: A3, 11 x 17" Min: Postcard (100 x 148 mm)
Paper Weight	60 to 220 gsm
Paper Capacity*1	Finishing Tray [Without Stapling] A4: 500 sheets, B4: 250 sheets, A3 or larger: 200 sheets, Mixed Size Stacking*2 : 250 sheets [With Stapling] 30 sets
	Capacity A4: 50 sheets (90 gsm or less), B4 or larger: 30 sheets (90 gsm or less)
Staple	Paper Size Max: A3, 11 x 17" Min: B5 LEF
	Position Single stapling
Dimensions	W 559 x D 448 x H 246 mm
Weight	12 kg

\*1: 64 gsm paper. \*2: When larger size sheets are stacked on top of smaller size sheets.

## Finisher-B1 (Optional) EC103114

Item	Description
Type	Sort (Offset available) / Stack (Offset available)
Paper Size*1	Max: A3, 11 x 17" Min: B5 LEF
Paper Weight	60 to 220 gsm
Paper Capacity*2	[Without Stapling] A4: 2000 sheets, B4 or larger: 1000 sheets, Mixed Size Stacking*3 : 300 sheets [With Stapling] A4: 100 sets or 1000 sheets*4 , B4 or larger: 75 sets or 750 sheets [With Booklet Finishing*5 ] 50 sets or 600 sheets [With Scoring*5 ] 1500 sheets
	Capacity 50 sheets (90 gsm or less)
Staple	Paper Size Max: A3, 11 x 17" Min: B5 LEF
	Position Single stapling or Dual stapling
Punch*6	Number of Holes 2-hole / 4-hole punch or 2-hole / 3-hole punch (US Specifications)
	Paper Size A3, 11 x 17", B4, A4*7 , A4 LEF, Letter*7 , Letter LEF, B5 LEF
	Paper Weight 60 to 200 gsm
Booklet Finishing*5	Capacity Saddle Staple: 15 sheets, Scoring: 5 sheets
	Paper Size Max: A3, 11 x 17" Min: A4, Letter
	Paper Weight Saddle Staple: 64 to 80 gsm, Scoring: 64 to 105 gsm
Dimensions	W 657 x D 552 x H 1011 mm, With Booklet Finisher: W 657 x D 597 x H 1081 mm
Weight	28 kg, With Booklet Finisher: 37 kg

Note: Finisher-B1 is available only when optional 1Tray Module with Cabinet or 3 Tray Module is attached to Main Unit. \*1: Paper size is smaller than B5, and larger than A3, 11 x 17" can be output from the Center Tray. \*2: 64 gsm paper. \*3: When larger size sheets are stacked on top of smaller size sheets. \*4: 75 sets or 750 sheets with dual stapling. \*5: The Booklet Finishing function requires the optional Finisher-B1 Booklet unit. After a job with the Booklet Finishing function specified has been run, the next job may not be delivered until the sheets are removed from the output tray. Also, if larger size sheets are stacked on top of smaller size sheets after a job with the Booklet Finishing function specified has been run, the next job may not be delivered until the sheets are removed from the output tray. \*6: The Punch function requires the optional Finisher-B1 Punch unit for 2-hole / 4-hole punch or Finisher-B1 Punch unit for 2-hole / 3-hole punch (US Specifications). \*7: 3-hole punch is not applicable.

### Notes

- 1) If the storage media (such as hard disk drives) of the base unit fail, loss of received data, accumulated data, registered setting data, etc. may occur. In no event shall Fuji Xerox be liable for any damages whatsoever arising from loss of data.
- 2) Functional spare parts will be available for at least 7 years after the product is no longer manufactured.
- 3) The product specifications, appearance and other details in this brochure are subject to change without notice for improvements.

All product names and company names mentioned in this brochure are trademarks or registered trademarks of their respective companies.

**Reproduction Prohibitions** Please note that reproduction of the following is prohibited by law : Domestic and foreign currencies, government-issued securities, and national bonds and local bond certificates. Unused postage stamps, post cards, etc. Certificate stamps stipulated by law. Reproducing works forming the subject matter of copyright (literary works, musical works, paintings, engravings, maps, cinematographic works, drawings, photographic works, etc.) is not permitted unless the reproduction is for the purpose of personal use, family use or other similar uses within a limited circle.

\*Available only from A3 DocuCentre Authorised Partners.

For more information or detailed product specification,  
please call or visit us at

Fuji Xerox Asia Pacific Pte Ltd

New Zealand 0800 993 769 Australia 1300 793 769

[www.fujixeroxprinters.co.nz](http://www.fujixeroxprinters.co.nz) [www.fujixeroxprinters.com.au](http://www.fujixeroxprinters.com.au)



### For Your Safety

Before using the product, read the Instruction Manual carefully for proper use. Use the product with the power source and voltage specified. Be sure to establish ground connection. Otherwise, electronic shock may result in the case of a failure or short circuit.

**FUJI XEROX**