



Compact Colour LED All-in-One Printer

Compact Design, Expertly Engineered

MFC-L3755CDW











www.brother.com.au

Compact Colour LED All-in-One Printer

Combining outstanding performance with fast print speeds, minimal maintenance, and long-lasting supplies.

The compact, whisper-quiet MFC-L3755CDW has been expertly engineered to feature the latest industry-standard security. Be confident that this colour LED will meet the needs of your home or small office with ease.

MFC-L3755CDW



Key features:

- Fast print speeds of up to 26 pages per minute
- Large paper capacity of 250 sheets
- Automatic 2-sided (duplex) printing
- 50-sheet Auto Document Feeder (ADF)
- Easy to use 8.8cm colour LCD touchscreen
- Gigabit ethernet, 2.4GHz/5GHz WiFi and USB 2.0 connectivity
- Print or scan directly from desktop or mobile app
- 512MB internal memory
- Up to 1,000 pages black and 1,000 colour pages in-box toners
- High-yield replacement toners available, up to 3,000 black and 2,300 colour pages



Compact and expertly engineered

Designed by experts, our most compact colour multi-function printer delivers high-quality outputs every time, allowing you to make the most of your home and small office space. Every component has been optimised to reduce the overall size of the device without compromising on performance. With easy paper access, this device has been developed to meet the needs of your home and small office.



Secure by design

To keep pace with the ever-evolving legislation on privacy and data security, our devices offer the latest industry-standard security features to protect your data. The MFC-L3755CDW provides a range of robust features including triple-layer security at a device, network and document level which is verified through external security certification. This offers added peace of mind and guarantees that the integrity of your data is maintained at every step.



Quiet without compromise

With its streamlined design, the MFC-L3755CDW is engineered to print quietly while delivering speeds up to 25% faster than the previous generation, so you can print continuously and without distraction.



Designed to go the distance

Built to perform for longer, the MFC-L3755CDW has been designed with you in mind. Made from robust and hard-wearing materials and supported by outstanding service as standard, Brother's award-winning reliability allows you to deliver uncompromised performance at all times.

General		Fax	22 222 (5.1)
Engine	Colour LED	Modem Speed	33,600bps (Fax)
Carton Contents	Printer, Quick Setup Guide, Users Guide, CD-ROM	2 Sided Fax	Receive Only
	(Windows), Power Cord, CMYK Toner Standard Yield (TN258C/TN258M/TN258Y/TN258BK) Up to 1,000	ITU-T Group compatibility	Super G3
	pages ¹¹ Belt Unit: Up to 60,000 pages (3-page per job)	Telstra Duet Compatible	Yes
	(BU229CL) Waste Toner Box: Up to 50,000 pages (WT229CL) Drum Unit: Up to 20,000 pages (1-page	Speed Dials	300 locations
	per job)(DR258CL)	ECM	Yes
		Out of Paper Reception	Up to 500 Pages (ITU-T Test Chart)
Display		Broadcasting	Up to 350 locations
LCD Display	8.8cm Colour LCD (7.3 x 6.9cm Touchscreen)		· ·
Shortcuts	48	Automatic Reduction	Yes
		Fax Forwarding	To Fax number or Email Address
Printer		PC Fax	Send/Receive from Windows Send only from MAC / Linux
Standard Memory	512MB		(Network / USB)
Print Speed ⁹	Up to 26 ppm Mono / Up to 26 ppm Colour	Internet Fax	Yes - T37 protocol
2 Sided Print Speed ⁹	Up to 10/10ipm or 5/5ppm (Mono/Colour, based on ISO/IEC 24734)	internet i ax	ies - ior piotocoi
2 Sided Print	Yes (Automatic)		
Emulation	PCL6, BR-Script3		
Printer Resolution	600 x 600 dpi, 2400 dpi (2400 x 600) quality	Digital Scanner	
First Print Out Time10	Less than 13.5 secs Mono/Colour (From Ready mode	Scanner Colour/Mono	Colour
	and standard tray) Less than 30 secs Mono/Colour (From Sleep mode and standard tray)	Scanner Colour Depth	48 bit input / 24 bit output colour
Warm Up Time	Less than 24 sec from Sleep, Less than 28 sec from	Scanning Technology	CIS
valin op ilino	Power On	Scanner Speed ¹²	Simplex: Max 1.84/2.39 Sec - 27/21 ipm (Mono/Colour @200dpi A4)
Resident Barcodes	Code39, Interleaved 2 of 5, FIM(US-PostNet), Post Net(US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E,	Scanner Resolution (Optical)	From Glass: Up to 1200 x 1200 dpi From ADF: Up to 600 x 600 dpi
	Codabar, ISBN(EAN), ISBN(UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93,	Scanner Resolution (Interpolated)	Up to 19,200 x 19,200 dpi
	GS1Databar, MSI	Scanning Area	Flatbed: 210(W) x 291(L)mm
Resident Fonts	PCL: 73 scalable fonts, 12 bitmap fonts, 16 bar codes	Scanner Grey Scale	256 levels
Quiet Mode	PS: 66 scalable fonts A mode to reduce the printing noise by reducing the	Scan to Email Client	Yes
Quiet Mode	print speed	Scan to Email Server	Yes
Recommended Monthly Print Volume ⁸	300 to 3,000 pages	Scan to OCR	Yes
		Scan to Image	Yes
Paper Handling ⁶		Scan to FIP	Yes
Standard Paper Capacity	Up to 250 Sheets	Scan to FIP Scan to Sharepoint	On premise Server Via PaperPort, Office 365 via Web
Envelopes Input	Up to 1 envelope (Manual Feed Slot only) output via rear	ocan to onarepoint	Connect
Output Paper Capacity	Up to 150 Sheets Face Down (80gsm)	Scan to Network Folder	Windows only
ADF	1 sheet face-up (straight paper path) Up to 50 sheets	Scan To Cloud	Yes - See Web Connect
Media Weights Paper Tray	60 - 163 gsm	Network Scan	Windows/Mac
Media Weights Manual Feed Slot	60 - 163 gsm	Scanner OS Compatibility	Windows 11, Windows 10 (32&64bit) macOS 11-13 ³
Media Weights ADF	60 - 105 gsm		Linux SANE
Media Weights Duplex	60 - 105 gsm	Twain Compliant	Windows: TWAIN Windows 11 or WIA for Windows10 Linux SANE
Media Size Paper Tray	A4, Letter, Legal, Mexico Legal, India Legal, Executive, A5, A5 Long Edge, A6, B5(JIS), B5(ISO), B6(JIS), A4		BINDA O/ WYL
	Short(270mm), Folio, 16K(195x270mm)	Software	
Media Size Manual Feed Slot	Width 76.2 to 216 mm, Length 116 to 355.6 mm Envelope; COM-10, DL, C5, Monarch	Printer OS Compatibility	Windows 11, Windows 10 (32&64bit), Windows
Media Size ADF	Width 105 to 215.9 mm, Length 147.3 to 355.6 mm		Server 2022, Windows Server 2019, Windows Server
Media Size Duplex	A4		2016, Windows Server 2012 R2 (64-bit), Windows Server 2012 (64-bit)
Media Size Scanner Glass	Up to A4/LTR		macOS 11 - 13 ³
Media Types Paper Tray	Plain Paper, Thin Paper, Thick Paper, Recycled Paper		Linux RPM, DEB
Media Types Manual Feed Slot	Plain Paper, Thin Paper, Thick Paper, Recycled Paper,	N-up Printing	Windows/Mac
	Bond, Label, Envelope, Envelope Thin, Envelope Thick, Glossy Paper	Poster Printing	Windows only
Media Types Duplex	Plain Paper, Thin Paper, Recycled Paper	Header and Footer Printing	Windows only
Media Types ADF	Plain Paper, Thin Paper, Recycled Paper	Watermark Printing	Windows only
		Booklet Printing	Windows only
Digital Copier		Brother Solutions Interface	Brother Solutions Interface (BSI) Developer Program is a platform that enables third-party developers to build
Copier Speed	Up to 26 cpm Mono / Up to 26 cpm Colour		custom solutions for and integrate with Brother Device
First Copy Out Time	Less than 14.5/15.5 secs (Mono/Colour) from Ready mode, Less than 30/30 secs (Mono/Colour) from Sleep mode	Light Solutions	ThinPrint Client, Barcode Print+, Secure Print+, Request Help, Order Supplies, Remote Panel, Barcode
2 Sided Copy	Simplex Scan to Duplex Print		Utility, CustomUI
	600 x 600 dpi	Mass Deployment Tool	Windows only
Copier Resolution			14.5
• •	25 - 400 percent in 1 percent increments	Driver Deployment Wizard ¹	Windows only
Copier Resolution	25 - 400 percent in 1 percent increments 2 in 1 & 4 in 1 (A4/LTR Mono/Colour)	Driver Deployment Wizard	Windows only
Copier Resolution Reduction-Enlargement Ratio	· · · · ·	Driver Deployment Wizard	Windows only

Connectivity		Mobile
Interface	Hi-Speed USB 2.0, 10Base-T/100Base-TX Ethernet and IEEE 802.11 b/g/n Wireless	Mobile C
USB Interface	Hi-Speed USB 2.0	iPrint&So
Wired Interface	10Base-T/100Base-TX/1000BaseT Ethernet	Universa Web Co
Wireless Interface	2.4GHz IEEE 802.11b/g/n, 5GHz IEEE 802.11a/n	
Wi-Fi Direct	Yes	AirPrint
Networking		Mopria ¹
Wireless Mode	2.4GHz IEEE 802.11/b/g/n (Infrastructure Mode mode), 5GHz IEEE 802.11/a/n (Infrastructure Mode mode)	Google (
Wireless Setup Support Utility	Wi-Fi Protected Setup (WPS)	Android
Network Protocols IPV4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, POP3, SMTP Client, IPP/IPPS, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/ v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print/Scan), SNTP Client, LDAP, IMAP4, Svsloa	Consu Consu
Network Protocols IPV6	NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, POP3, SMTP Client, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, SNTP Client, LDAP, Web Services (Print/Scan), IMAP4, Syslog	
Email Alerts	E-mail Notification and E-mail Reports	
		Inbox Co
Network Management Uti	lities	
Network Management	Windows: BRAdmin Light, Web Base Management, BRAdmin Professional, Network Remote Setup Mac: Web Base Management, Network Remote Setup Linux: Web Base Management	
Web Based Management	Yes	Standard
BRAdmin Professional	Windows only	High Yie
		19.1
Security		Weigh
	eMail: SMTP-AUTH, SSL/TLS (IPP, HTTP, SMTP),	weigi
Wired Security	SNMP v3 Authentication Protocol: 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec	Size Weight
Wired Security Wireless Security	EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos,	Weight
,	EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec eMail: SMTP-AUTH, SSL/TLS (IPP, HTTP, SMTP), SNMP v3 Authentication Protocol: 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos,	Environ Power Consider Market
Wireless Security	EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec eMail: SMTP-AUTH, SSL/TLS (IPP, HTTP, SMTP), SNMP v3 Authentication Protocol: 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE(AES), Wi-Fi Direct supports	Environ Power Consider Management See Management Se
Wireless Security Wireless Security Protocols	EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec eMail: SMTP-AUTH, SSL/TLS (IPP, HTTP, SMTP), SNMP v3 Authentication Protocol: 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE(AES), Wi-Fi Direct supports WPA2-PSK (AES) only	
Wireless Security Wireless Security Protocols LDAP	EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec eMail: SMTP-AUTH, SSL/TLS (IPP, HTTP, SMTP), SNMP v3 Authentication Protocol: 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE(AES), Wi-Fi Direct supports WPA2-PSK (AES) only	Environment Services Sleep Management Services S
Wireless Security Wireless Security Protocols LDAP Active Directory Authentication	EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec eMail: SMTP-AUTH, SSL/TLS (IPP, HTTP, SMTP), SNMP v3 Authentication Protocol: 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE(AES), Wi-Fi Direct supports WPA2-PSK (AES) only Yes Yes	Environ Power C Sleep M. Toner Sa Power S

Mobile/Web Printing	
Mobile Connect ¹	Use Brother Mobile Connect to print, scan, & copy, as well as manage your machine & customise its features.
iPrint&Scan ¹	Windows/Mac
Universal Print ⁷	Yes
Web Connect ⁷	Scan To/Download and Print from: Google Drive, Dropbox, OneDrive, Box, OneNote Scan To: Evernote Print from: Creative Centre
AirPrint	Print most common file types from any Apple AirPrint enabled application
Mopria ¹	Print most common file types from Mopria™ supported Android devices
Google ChromeOS	Print and scan from your Chromebook with most printers that connect to Wi-Fi or a wired network
Android Print Service Plugin ¹	Print directly from your Android devices (Android 5.0 or later), to your Brother printer through a Wi-Fi or Wired network
Brother Apps	Office Doc Creator, Easy Scan to Email, Fax Forward to Cloud / Email, Enlarge Text Copy, Scan to Mobile
Consumables	
Consumables ¹¹	Colour Toner High Yield (TN258XLC/TN258XLM/ TN258XLY) Up to 2,300 pages Black Toner High Yield (TN258XLBK) Up to 3,000 pages
	CMYK Toner Standard Yield (TN258C/TN258M/ TN258Y/TN258BK) Up to 1,000 pages Belt Unit: Up to 60,000 pages (3-page per job) (BU229CL) Waste Toner Box: Up to 50,000 pages (WT229CL) Drum Unit: Up to 20,000 pages (1-page per job)
Inbox Consumables ¹¹	(DR258CL)
IIIDOX CONSUMADIES	CMYK Toner Standard Yield (TN258C/TN258M/ TN258Y/TN258BK) Up to 1,000 pages Belt Unit: Up to 60,000 pages (3-page per job) (BU229CL) Waste Toner Box: Up to 50,000 pages (WT229CL) Drum Unit: Up to 20,000 pages (1-page per job) (DR258CL)
Standard Yield Toner ¹¹	CMYK Toner Standard Yield (TN258C/TN258M/ TN258Y/TN258BK) Up to 1,000 pages
High Yield Toner ¹¹	Black Toner High Yield (TN258XLBK) Up to 3,000 pages Colour Toner High Yield (TN258XLC/TN258XLM/ TN258XLY) Up to 2,300 pages
Weights & Measurements	
Size	410(W) x 444(D) x 401(H)mm
Weight	16 Kg without consumables 21.6 Kg with consumables
Environment	
Power Consumption	Peak: Average 960W, Ready: Average 70W, Sleep: 10W, Deep Sleep: 0.6W, Power Off: 0.04W
Sleep Mode	0-50 min
Toner Save	This reduces the toner usage and helps to reduce the total cost of printer ownership
Power Save	This enables the printer to consume less energy when not in use
Temperature	Operating: 10 - 32°C, Storage: 0 - 40°C
Humidity	Operating: 20 - 80%, Storage: 35 - 85%
Others	
Noise Level	Sound Pressure Level: (Printing) Less than 47 dBA, (Ready) InAudible

- Download from Brother Solutions Centre Apply to activate Via Airprint or iPrint&Scan

Optional Warranty¹⁴

Secure Function Lock

- Windows only

Options

- Windows/Mac
- Capacity calculated with 80g/m² paper
- Must be connected to the internet
- Must be connected to the internet
 The recommended monthly print volume is to achieve the best possible performance and printer life
 Print speeds based on ISO/IEC 24734 (www.brother.com/rd/printspeed)
 FPOT (First Print Out Time) based on ISO/IEC 17629
 Approx. declared yield value in accordance with ISO/IEC 19798

1 or 2 or 3 Years On-Site


- Scan speeds based on ISO/IEC 17991
 Purchase optional onsite warranty required

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



(Version.3.0) Up to 100 registered users

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where Brother sustainable development can be achieved. We call this approach Brother Earth.







Sound Power Level: (Printing) Less than 6.41B(A),





(Ready) InAudible

0.41 kWh/Week





linkedin.com/company/ brother-international-australia/



TEC Value